KEENOVA

2026



KEENOVA

TOOLTEC

QUARRY & CONSTRUCTION
CUTTING SOLUTION PARTNER

XIAMEN KEENOVA TOOLTEC CO., LTD.

KEENOVA

MORE THAN A SUPPLIER.

YOUR QUARRY & CONSTRUCTION CUTTING SOLUTIONS PARTNER.



We believe successful cooperation starts with understanding.

Every quarry, material and cutting application comes with different requirements. Our approach is to understand the working conditions first, recommend suitable solutions, and coordinate reliable supply to support our customers' operations.

01
UNDERSTAND FIRST.

02
— RECOMMEND SECOND.

03
— SUPPLY THIRD.

- Making Cutting More Efficient.
- Sourcing More Intelligent.
- Partnerships More Valuable.

CONTENTS

PART 01 | ABOUT KEENOVA 1-2

Company Profile 01
Products & Services 02

PART 02 | QUARRY EQUIPMENT & TOOLS 3-12

Quarry Equipment for Real Cutting Conditions 03
Quarry Wire Saw Machines 04-05
Matching the Machine to the Quarry 06
DTH Drilling Machines 07
DTH Drilling Equipment & Specifications 08
Rock Drilling Equipment 09
Rock Drilling Tools & Specifications 10
Supporting Equipment for Stone Quarries 11
Quarry Tools & Consumables 12

PART 03 | DIAMOND WIRE SOLUTIONS 13-21

Diamond Wire Selected for the Application 13
Diamond Wire for Granite & Quartzite Quarrying 14
Wire Series & Cutting Performance — Granite & Quartzite 15
Diamond Wire for Marble & Carbonate Stone Quarrying 16
Typical Cutting Performance — Marble & Carbonate Stone 17
Mono & Multi Diamond Wire for Stone Processing 18
Stone Processing Wire — Selection & Performance 19
Diamond Wire for Concrete & Reinforced Concrete 20
Construction Diamond Wire — Specifications & Performance 21

PART 04 | PROFESSIONAL DIAMOND TOOLS 22

Professional Diamond Tools 22

PART 05 | CONSTRUCTION CUTTING EQUIPMENT & TOOLS 23

Construction Cutting Equipment & Diamond Tools 23

PART 06 | QUARRY DEVELOPMENT SERVICES 25-29

Quarry Development Services 25
Real Projects. Real Cutting Conditions. 26-27
Understand First. Recommend Second. Supply Third. 28
More Than a Supplier 29

PART 07 | CHINA SOURCING & SUPPLY 30-32

Your China Sourcing & Supply Partner 30
Frequently Asked Questions 31
Service & Technical Support 32

More Than a Supplier

KEENOVA is a China-based quarry and construction cutting solutions partner, specializing in diamond wire sawing, quarry machinery, professional cutting tools and integrated supply solutions for the global stone, mining and construction industries.

With 20+ years of industry experience, we bring practical knowledge of quarry operations and cutting applications — from stone extraction and block production to construction cutting and demanding mining projects.

We go beyond supplying individual products. By combining reliable equipment, proven diamond wire technology, professional tools, spare parts, accessories, technical support and a flexible China supply chain, we help customers improve cutting efficiency, simplify sourcing and manage overall operating costs.

KEENOVA helps customers solve quarry and construction cutting challenges through the right combination of diamond tools, cutting machinery, quarry equipment, technical expertise and reliable China sourcing.

Our approach is simple: understand the application first, recommend the right solution second, and supply only when the solution makes sense.

Our Approach

01

Understand First.

We start with the customer' s application, material and site conditions.

02

Recommend Second.

We recommend suitable equipment, diamond wire and specifications.

03

Supply Third.

We coordinate reliable supply, inspection and delivery from China.

We work with customers as a technical and supply partner — not simply as a product supplier.



EQUIPMENT. DIAMOND WIRE. TOOLS. INTEGRATED SOLUTIONS

KEENOVA provides a focused range of equipment and cutting products for practical quarrying, stone processing and construction applications.

01 | QUARRY EQUIPMENT

- Wire Saw Machines
- DTH Drilling Equipment
- Rock Drilling Equipment
- Quarry Support Equipment
- Compressors
- Generators
- Drilling Steels & Button Bits

02 | DIAMOND WIRE

- Granite & Quartzite Quarry Wire
- Marble & Carbonate Stone Quarry Wire
- Mono Diamond Wire
- Multi Diamond Wire
- Construction Diamond Wire
- Diamond Beads & Wire Components

03 | DIAMOND TOOLS

- Cutting Tools
- Drilling Tools
- Grinding Tools
- Polishing Tools
- Application Specific Tool


04 | CONSTRUCTION CUTTING

- Wire Sawing Systems
- Wall Sawing Equipment
- Core Drilling Equipment
- Concrete Cutting Tools
- Demolition & Structural Cutting Solutions









Quarry Equipment for Real Cutting Conditions

KEENOVA supplies quarry equipment selected to match the material, quarry conditions, production targets and cutting requirements.

Core Equipment

Wire Saw Machines For precision quarry cutting and block production.	**DTH Drilling Equipment** For blast-hole drilling, quarry development and diamond wire hole drilling.
Rock Drilling Equipment For drilling and quarry development applications requiring flexible rock drilling solutions.	**Rock Drilling Equipment** Compressors, generators, drilling tools and related quarry consumables.

Selection starts with the application

We consider:

Material	Geology	Bench Conditions	Hole Requirements
Cutting Method	Production Target	Power & Water	Operating Cost







Quarry Wire Saw Machines

Reliable Power for Efficient Quarry Cutting

KEENOVA wire saw machines are designed for natural stone quarrying and block production, with power configurations from 18.5 kW to 75 kW.
Different configurations are available to suit specific cutting and site requirements, including permanent magnet motor technology, variable-speed control, automatic wire tension and feed control, and flexible mobility or rail systems.
The right machine configuration depends on the material, cutting requirements, production targets and site conditions.



18.5kW
Block Trimming/Heads Cutting



75kW
High-productivity quarrying

Key Features

- 18.5 kW to 75 kW power options
- Standard motor or PM motor options
- Variable-speed control
- Automatic / self-adjusting operation options
- Rail or mobility configurations
- Remote control options
- Heavy-duty structure
- Integrated safety functions
- Compatible with a wide range of diamond wires

Typical Applications

- Granite quarrying
- Marble and natural stone quarrying
- Block squaring
- Primary block cutting
- Large bench cutting
- Quarry development

Quarry Wire Saw Machines



QUARRY WIRE SAW





CRAWLER WIRE SAW

Model	Main Motor	Speed Setting	Drive Wheel Dia	Application	Remark
WSM-22KWS	22 kW / 30 HP	0–40 m/s	600 mm	Block Trimming	Power Supply: 3-phase, 380–440 V, 50/60 Hz (customizable upon request)
WSM-37KWS	37 kW / 50 HP	0–40 m/s	800 mm	Bench Cutting	
WSM-45KWS	45 kW / 60 HP	0–40 m/s	800 mm	Bench Cutting	
WSM-55KWS	55 kW / 75 HP	0–40 m/s	800 mm	Bench Cutting	
WSM-75KWS	75 kW / 100 HP	0–40 m/s	800 mm	Bench Cutting	

Motor Options: Standard motor-driven or permanent magnet (PM) motor-driven configurations available.

Machine selection should be based on the material, cutting requirements, production targets and site conditions — not simply on motor power.





Match the Machine to the Quarry

Wire saw is only part of the cutting system. Final performance depends on the combination of:

Machine Power + Wire Type + Wire Speed + Tension + Material + Block Size + Cutting Conditions

Typical Configuration

55kW

For many standard quarry cutting applications where production requirements and bench conditions suit the power class.

75kW

For higher productivity requirements and demanding quarry operations.



Before Recommendation

We evaluate:

- Stone type and hardness
- Bench height and cutting dimensions
- Required production
- Wire diameter and configuration
- Available electrical power
- Generator requirements
- Water availability
- Site access and rail arrangement



The objective is not simply to sell a larger machine — it is to find the right working combination.

Down-The-Hole Drilling Machine

KEENOVA DTH drilling equipment is designed for quarrying, mining and construction applications where accurate, efficient drilling in hard rock is required.

The DTH system delivers impact energy directly to the drill bit, providing effective penetration and consistent hole quality in demanding rock formations.



PP-90A



EP-90B



HP-90C



CHP-90D

Applications

- Blast-hole drilling
- Quarry development
- Diamond wire hole drilling
- Hard-rock drilling
- Mining applications
- Construction drilling

Equipment Range

- Crawler DTH Drill
- DTH drilling machines
- DTH hammers
- DTH bits
- Drilling steels
- Related drilling accessories

DTH Drilling & Specifications

Drilling equipment is selected against the actual application. The table below defines the selection parameters for each product line.

DTH DRILLING

Key Considerations: Hole Diameter | Hole Depth | Rock Formation | Mobility | Air Supply | Production Requirement

Parameter	PP-90A	EP-90B	HP-90C
Driving Power	Pneumatic	Pneumatic + Electric	Pneumatic + Hydraulic
Air Supply	10-12 M3/Min	7-9 M3/Min	5-6 M3/Min
Air Pressure	0.6-0.8 Mpa	0.6-0.8 Mpa	0.5-0.7 Mpa
Max Drilling Depth	35 Meters	35 Meters	35 Meters
Diameter of Drilling	φ 65-90	φ 65-90	φ 65-90
Drilling Speed	6-8 M/H	6-8 M/H	7-10 M/H
Extension Distance	1.2 M	1.2 M	1.2 M
Drill Direction	Vertical / Horizontal	Vertical / Horizontal	Vertical / Horizontal





The right equipment depends on the drilling position, rock conditions, hole size, operating method and site environment. Detailed specifications are matched to your application — contact KEENOVA with your material, hole requirements and site conditions.

Frame-Mounted Rock Drilling Equipment

Flexible Drilling for Quarry & Construction Applications

KEENOVA supplies rock drilling equipment and related tools for quarrying, mining and construction applications requiring flexible and practical drilling solutions.

The right equipment depends on the drilling position, rock conditions, hole size, operating method and site environment.

Equipment Options





Single Head · Double Head



Multi Head Rock Drilling Machine

Typical Applications

- Quarry development
- Secondary drilling
- Rock breaking and preparation
- Construction drilling
- Maintenance and auxiliary drilling
- General hard-rock applications

Supporting Products

- Rock Drills
- Drill Rods
- Drilling Steels
- Button Bits
- Accessories & Consumables

Note: Rock Drill and DTH Drill are presented as separate product lines — different equipment for different drilling tasks.

Rock Drilling Selections & Specifications

Drilling equipment is selected against the actual application. The table below defines the selection parameters for each product line.

ROCK DRILL SPECIFICATIONS

Parameter	CYZJ-29	CYZJ-29-2	CYZJ-29-3	CYZJ-29-4
Hole Diameter (mm)	Dia.34-42	Dia.34-42	Dia.34-42	Dia.34-42
Drill Depth (m)	Max.6	Max.6	Max.6	Max.6
Single Rod Drill Speed (m/h)	5-20	5-20	5-20	5-20
Single Feed Stroke (m)	2	2	3	3
Air Consumption (m3/min)	6-8	10-12	12-16	16-20
Air Pressure (Mpa)	0.5-0.7	0.5-0.7	0.5-0.7	0.5-0.7
Track Travel (m)	1x3	1x3	1x3	1x3
Feed Motor Power (kW)	1.5	1.5	2.2	2.2
Net Weight (kg)	600	1100	1600	2100







The right equipment depends on the drilling position, rock conditions, hole size, operating method and site environment. Detailed specifications are matched to your application — contact KEENOVA with your material, hole requirements and site conditions.

Supporting Equipment for Stone Quarries

Other Supporting Equipment for Stone Quarries



Circular Blade Saw Machine



Chain Saw Machine



Wheel Loaders



Diesel Generator



Air Compressor



Forklifts



Hydraulic Core Drill Rig



Hand-Held Jack Hammers



Pneumatic Pick/Breaker

Other Quarry Tools & Consumables

Mining and Quarrying Tools & Consumables



Drill Rods & Bits



Plugs & Feathers



Hydro Bags



DTH Hammer



DTH Bits



Air Bags



Drive & Pulley Wheels



Rubber Liners



Crimping Tools



Steel Scissors



Joint / Connectors



Mining Core Bits

Diamond Wire Selected for the Application

Diamond wire performance depends on more than diamond wire quality itself.

Material + Bond + Bead Design + Wire Construction + Machine Power + Cutting Parameters

Main Diamond Wire Lines

01 **Granite & Quartzite Quarry Wire** For hard and abrasive natural stone quarrying.	02 **Marble & Carbonate Stone Quarry Wire** For marble, limestone, dolomite and related carbonate stones.
03 **Mono Diamond Wire** For precision stone processing, block cutting, profiling and special cutting applications.	04 **Multi Diamond Wire** For multi-wire slab production.
05 **Construction Diamond Wire** For concrete, reinforced concrete, structural cutting and demolition.	06 **Ultra Thin Diamond Wire** For high value materials with less kerf loss and high cutting output



Diamond Wire for Granite & Quartzite Quarrying

Engineered for demanding quarrying applications involving granite, quartzite, sandstone, and other hard or abrasive stones.



Typical Application Range

- High-quality diamond beads
- Stable cutting performance
- Strong and flexible steel cable
- Rubber / spring reinforced construction
- Different bead diameters and formulations
- Configurations matched to stone hardness
- Customized wire lengths available



Typical Range

Ø12.5 / Ø12 / Ø11.5 mm · 37 / 40 Beads per Meter

Typical Application Range

Soft	Medium	Hard & Abrasive

Wire selection should be based on the actual stone and cutting conditions rather than bead specification alone.

Wire Series & Cutting Performance - Granite & Quartz

Selected Wire Series

Art. No.	Specification (mm)	Beads/m	Reinforcement
SG001	Ø12.5 / 12.0 / 11.5 × 6.5	40 / 37	Rubber / Rubber & Spring
MG002	Ø12.5 / 12.0 / 11.5 × 6.5	40 / 37	Rubber / Rubber & Spring
HG003	Ø12.5 / 12.0 / 11.5 × 6.5	40 / 37	Rubber / Rubber & Spring
QZ004	Ø12.5 / 12.0 / 11.5 × 6.5	40 / 37	Rubber / Rubber & Spring






Typical Cutting Performance

Reference values for granite & quartzite quarry wire - actual results vary with stone, machine and operating parameters.

Material Condition	Linear Speed (m/s)	Cutting Speed (m²/h)	Cutting Life (m²/m)
Soft	28–35	8–15	25–34
Medium	28–35	8–10	20–24
Hard & Abrasive	26–32	6–8	12–18





Performance Reference

Reference values for granite & quartzite quarry wire - actual results vary with stone, machine and operating parameters.

Diamond Wire for Marble & Carbonate Stone Quarrying

Designed for marble, limestone, dolomite and other carbonate stones, with different bead diameters and reinforcement configurations available to match stone hardness, quarry conditions and cutting requirements.







Selection Factors

Stone Hardness	Abrasiveness	Machine Power	Cutting Speed	Water Conditions

Applications

- Marble quarrying
- Limestone quarrying
- Dolomite quarrying
- Other carbonate stones
- Block squaring

Typical Options: Ø12 / Ø11.5 / Ø11.0 / Ø10.5 mm

Available configurations include:

- Spring
- Rubber + Spring
- Plastic + Spring
- Vacuum Brazed Beads/Sintered Beads



Selected Wire Series


Art. No.	Specification (mm)	Beads/m	Reinforcement
MQ115S	Ø11.5 × 6.5 / 6.0	26 / 28	Spring — Wet / Dry Cutting
MQ115R	Ø11.5 × 6.5 / 6.0	37 / 40	Rubber / Plastic + Spring
MQ110S	Ø11.0 × 6.5 / 6.0	26 / 28	Spring — Wet / Dry Cutting
MQ110R	Ø11.0 × 6.5 / 6.0	37 / 40	Rubber / Plastic + Spring
MQ105S	Ø10.5 × 6.5 / 6.0	26 / 28	Spring — Wet / Dry Cutting
MQ105R	Ø10.5 × 6.5 / 6.0	37 / 40	Rubber / Plastic + Spring

Typical Cutting Performance — Marble & Carbonate Stone



Material Condition	Linear Speed (m/s)	Cutting Speed (m²/h)	Cutting Life (m²/m)
Soft	30–40	15–25	65–85
Medium	30–40	10–15	45–65
Hard	30–40	6–10	30–45

Typical Cutting Performance





Typical Cutting Performance

Performance varies with stone characteristics, quarry conditions, machine configuration, and operating parameters. Bead diameter, bond formulation, bead type, and reinforcement are selected according to stone hardness, cutting conditions, and application requirements.

Selection Factors

Stone Hardness	Abrasiveness	Machine Power	Cutting Speed	Water Conditions

Mono & Multi Diamond Wire for Stone Processing

Mono and multi diamond wire for precision cutting of natural and artificial stone, including granite, marble, and limestone. Various bead configurations are available to suit material characteristics and production requirements, ensuring consistent cutting performance, reduced kerf loss, and efficient material utilization.



MONO WIRE

Engineered For:

- Block cutting
- Block squaring
- Contour cutting
- Profiling
- Engineered stone processing

Typical configurations include different bead diameters and plastic-coated assemblies.

MULTI WIRE

Engineered For:

- Multi-wire slab cutting
- Granite slab production
- Marble slab production
- High-volume stone processing

Compatible configurations can be supplied according to machine type and processing requirements.

Selected Wire Series


Art. No.	Specification (mm)	Beads/m	Reinforcement
KM110P	Ø11.0 × 6.0	37 / 33	BASF Plastic
KM105P	Ø10.5 × 6.0	37 / 33	BASF Plastic
KM90P	Ø9.0 × 6.0	37 / 33	BASF Plastic
KM85P	Ø8.5 × 6.0	37 / 33	BASF Plastic
KM75P	Ø7.5 × 6.0	37 / 33	BASF Plastic

Stone Processing Wire - Performance & Selection

Typical Cutting Performance

Material Condition	Linear Speed (m/s)	Cutting Speed (cm/h)	Cutting Life (m²/m)
Soft	28–32	70–100	18–45
Medium	28–32	50–80	14–40
Hard & Abrasive	28–32	30–50	8–30





Typical performance varies according to stone characteristics, quarry conditions, machine configuration and operating parameters.





Selection Factors

Stone Type	Machine Type	Wire Diameter	Beads/M	Beads/M	Required Finish

Diamond Wire for Concrete & Reinforced Concrete

Engineered for demanding structural cutting applications.

Designed for concrete cutting, reinforced concrete and structural demolition, with reliable and consistent performance in demanding cutting applications.



Applications

- Reinforced concrete
- Bridge cutting
- Pier cutting
- Building modification
- Structural openings
- Demolition
- Tunnel projects
- Steel-reinforced structures

Key Features

- High-strength diamond beads
- Reinforced wire construction
- Rubberised with spring protection
- Formulations for different concrete and reinforcement conditions
- Stable cutting under heavy load
- Suitable for professional wire sawing systems

Typical Options

- Rubber & Spring Reinforced
- Ø10.5 / Ø11.0 / Ø11.5 mm
- 40 / 48 Beads per Meter

Art. No.	Dimensions (mm)	Beads/m (pcs)	Assembly
RC115	Ø11.5 × 6.5	40 / 48	Rubber + Spring
RC110	Ø11.0 × 6.5	40 / 48	Rubber + Spring
RC105	Ø10.5 × 6.5	40 / 48	Rubber + Spring

Construction Diamond Wire - Specifications & Performance

Typical Cutting Performance

Application	Linear Speed (m/s)	Cutting Speed (m²/h)	Cutting Life (m²/m)
Concrete	25–28	3–5	3–7
Reinforced Concrete	22–25	1–3	1–3
Metal	10–14	0.2–0.3	0.25–0.35

Typical performance varies according to material characteristics, cutting conditions, machine configuration and operating parameters.

Bead Specifications

Outside Diameter (mm)	Diamond Length (mm)	Overall Length (mm)	Manufacturing Technology
11.5	6.5	11 / 12	Sintered / EP / VB
11.0	6.5	11 / 12	Sintered / EP / VB
10.5	6.5	11 / 12	Sintered / EP / VB



Selection Factors

Concrete Strength	Reinforcement	Structure Size	Machine	Cutting Environment


Bead diameter, bond formulation, bead type and reinforcement can be selected according to material characteristics, cutting conditions and application requirements.

Professional Diamond Tools

Beyond diamond wire, KEENOVA supplies professional cutting, drilling, grinding and polishing tools selected for stone and construction applications.

Product Range

Cutting Tools For stone, concrete and construction cutting.	**Drilling Tools** For concrete, masonry, stone and structural drilling.	**Grinding Tools** For surface preparation, grinding and material removal.
Polishing Tools For stone and concrete finishing and surface processing.	**Application Specific Tools** For stone and construction specific processing	








Selection Principle

The right tool is determined by:

Material → Machine → Application → Required Finish → Production Target

Each recommendation starts from the material and the machine — never from a product list.

Construction Equipment & Diamond Tools

KEENOVA provides equipment, diamond wire and professional cutting tools for concrete cutting, structural demolition and modification applications.





Applications

- Bridge cutting
- Building modification
- Concrete wall cutting
- Beam and slab cutting
- Structural openings
- Controlled demolition
- Tunnel cutting
- Industrial plant decommissioning

Equipment & Tools

- Wire Sawing Systems
- Wall Sawing Equipment
- Core Drilling Equipment
- Concrete Cutting Tools
- Diamond Wire

Wire Sawing → Wall Sawing → Core Drilling → Diamond Cutting & Grinding



KEENOVA | BEYOND PRODUCTS

MORE THAN A SUPPLIER.

SOLUTIONS & SERVICES

QUARRY DEVELOPMENT · CHINA SOURCING & SUPPLY

From products and tools to practical solutions and integrated sourcing.

KEENOVA

QUARRY DEVELOPMENT SERVICE

From Quarry Opportunity to Efficient Production


KEENOVA provides integrated quarry development and cutting solutions for natural stone quarry owners, investors and industry partners. Combining 20+ years of industry experience with cutting technology, quarry equipment resources and access to China's manufacturing network, we help customers evaluate projects, plan operations, source suitable equipment and improve production efficiency.

OUR CORE SERVICES

Six key service areas. One integrated solution.

01 QUARRY INVESTMENT & EVALUATION

Review stone resources, geological information, quarrying conditions, production potential, infrastructure requirements and preliminary investment considerations.



02 QUARRY DEVELOPMENT & PLANNING

Support quarry layout, extraction methods, block recovery, drilling and wire sawing plans, equipment configuration and production flow.



03 QUARRY EQUIPMENT & CONSUMABLES

Provide solutions for diamond wire sawing, wire saw machines, quarry drilling, block trimming, diamond blades, generators, compressors, spare parts and supporting equipment.



04 CHINA SOURCING & PROCUREMENT

Coordinate supplier identification, technical and quotation comparison, price negotiation, production follow-up, quality inspection, order consolidation and shipping.



05 CUTTING TECHNOLOGY & TECHNICAL SUPPORT

Provide application-based cutting recommendations, cutting parameter optimization, equipment commissioning support, troubleshooting, operator training and maintenance guidance.



06 CHINA MARKET ACCESS & STONE OFFTAKE

Help suitable quarry projects explore Chinese market opportunities through buyer identification, stone sample evaluation, customer introductions and potential block offtake.



OUR APPROACH

Understand First. Recommend Second. Supply Third.

Every recommendation considers the actual stone and geological conditions, production targets, equipment requirements and operating environment.

ASSESS — Quarry Assessment › PLAN — Development & Planning › EQUIP — Equipment & Cutting Solutions › SOURCE — China Procurement › SUPPORT — Technical Support › IMPROVE — Production Improvement

Practical solutions to help customers make informed decisions, control investment, improve productivity and build long-term quarry value.

- Better Decisions
- Controlled Investment
- Higher Productivity
- Lower Operating Cost
- Long-term Quarry Value

Real Projects. Real Cutting Conditions.

Real Applications. Proven Performance. Practical Solutions.

CASE 01 — AUSTRALIA GRANITE QUARRY



MACHINE	75kW Wire Saw Machine
WIRE	G129 Diamond Wire
APPLICATION	Granite Quarry Cutting
SOLUTION	A complete wire sawing solution featuring a 75kW wire saw machine and G129 diamond wire, selected for granite quarry cutting conditions.

CASE 02 — NAMIBIA DOLOMITE QUARRY



MACHINE	55kW Wire Saw Machine
WIRE	M002B Diamond Wire
APPLICATION	Dolomite Quarry Cutting
SOLUTION	A wire sawing solution combining a 55kW machine with M002B diamond wire for dolomite quarry cutting.

CASE 03 — RUSTENBURG, SOUTH AFRICA



MACHINE	55kW Wire Saw Machine
WIRE	W789 Diamond Wire
APPLICATION	Granite Quarrying & Block Cutting
SOLUTION	A matched combination of a 55kW wire saw machine and W789 diamond wire for granite quarrying and block cutting.

Real Projects. Real Cutting Conditions.

CASE 04 — CHINA MARBLE QUARRY



MACHINE	55kW Wire Saw Machine
WIRE	M002B Diamond Wire
APPLICATION	Marble Quarry Cutting
SOLUTION	A wire sawing solution combining a 55kW machine with M002B diamond wire for marble quarry cutting.

CASE 05 — CONCRETE & STRUCTURAL CUTTING – EUROPE & USA







WIRE	G635B Construction Diamond Wire
APPLICATION	Bridge & Structural Cutting
SOLUTION	G635B construction diamond wire used in concrete cutting projects involving bridges and reinforced concrete structures.

CASE 06 — INDUSTRIAL STEEL STRUCTURE







MACHINE	75kW Wire Saw Machine
WIRE	ST11 Diamond Wire
APPLICATION	Large Steel Furnace & Industrial Structure Cutting
SOLUTION	A specialized wire sawing solution combining a 75kW machine with ST11 diamond wire for cutting large steel furnaces and industrial structures.

Understand First. Recommend Second. Supply Third.

We start with the customer' s application — not with a product list.

We first understand the material, geology, machine, cutting requirements, production targets and site conditions. We then recommend the equipment, tools and solution that best fit the application.



01 | UNDERSTAND Material, application, site conditions, equipment and project requirements.	**02 | RECOMMEND** Suitable equipment, diamond wire, tools and specifications.	**03 | SOURCE** Find and compare suitable manufacturers and suppliers in China.
04 | COORDINATE Quotes, communication, negotiation, production and orders.	**05 | INSPECT** Pre-shipment inspection against agreed requirements.	**06 | DELIVER** Consolidation, loading, shipping and logistics coordination.


More Than a Supplier

We understand the application first, recommend the right combination, and support the customer from selection to supply.


Understand First. Recommend Second. Supply Third.

20+ Years **of Industry Experience** Practical experience across stone quarrying, diamond wire cutting, quarry equipment, tools and China sourcing.	**Application-Based** **Recommendations** We consider the actual material, machine, cutting conditions and production requirements.	**Equipment + Wire** **+ Tools** One partner for multiple cutting requirements.
China Supply **Capability** Beyond our own product range, we can help customers identify, compare and coordinate suitable Chinese suppliers.	**Technical &** **Commercial Support** From product selection and configuration to communication, inspection and shipment.	**Long-Term** **Partnership** Our objective is not simply to complete one order.

We aim to build reliable, transparent and long-term business relationships.





Your China Sourcing & Supply Partner

ONE PARTNER · MULTIPLE SUPPLIERS · ONE COORDINATED PROCESS

Beyond our own product range, KEENOVA helps customers source equipment, tools, spare parts and other industrial products from China, based on their specific requirements.

Client Needs

Right equipment & wire

Verified suppliers

Comparable quotations

Consistent quality

On-time shipping

→

KEENOVA

One point of contact

→

Our Process

Supplier search

Factory coordination

Quality inspection

Order consolidation

Shipping & logistics

What We Do

Supplier Search Identify suitable manufacturers and suppliers.	**Product Comparison** Compare specifications, quality, pricing and commercial terms.	**Factory Coordination** Communicate technical and commercial requirements.
Quality Inspection Check products against agreed specifications before shipment.	**Order Consolidation** Coordinate multiple suppliers when required.	**Shipping & Logistics** Support packing, container loading and export coordination.

Key Advantages

One Point of Contact

One dedicated partner coordinating multiple suppliers and sourcing requirements.

Simplified Communication

Reduce the time and effort involved in communicating and following up with different suppliers.

Greater Operational Efficiency

Streamline supplier sourcing, quotation comparison, order management and shipment coordination.

Better Transparency

Gain clearer visibility of supplier options, product specifications, pricing and order progress.

Optimized Overall Costs

Improve purchasing efficiency through supplier negotiation, order consolidation and coordinated logistics.

Simplified Supply Chain Management

Coordinate quality control, packaging, documentation and issue resolution through one partner.

Frequently Asked Questions

01. What does KEENOVA supply?

KEENOVA provides quarry and construction cutting solutions, including diamond wire, wire saw machines, DTH drilling equipment, rock drills, construction cutting solutions, diamond tools, spare parts and China Sourcing & Supply.

02. How do I choose the right diamond wire?

Diamond wire selection depends on the material, cutting application, machine, required cutting speed and working conditions. Tell us what you are cutting and which machine you use, and we can recommend a suitable specification.

03. Can KEENOVA recommend a complete cutting solution?

Yes. We look at the application first — material, machine power, dimensions, production requirements and operating conditions — and then recommend the appropriate equipment and diamond tools.

04. What materials can KEENOVA diamond wire cut?

Our diamond wires are used for granite, marble, limestone, dolomite, quartzite and selected construction and specialized cutting applications. The recommended specification depends on the material and cutting conditions.

05. Do you supply wire saw machines together with diamond wire?

Yes. KEENOVA can supply quarry wire saw machines together with matching diamond wire, helping customers build a more compatible and efficient cutting system.

06. What is the difference between DTH drilling and rock drilling?

DTH drilling is mainly used for blast holes, quarry development and diamond wire hole drilling. Rock drills are mainly used for rig-mounted drilling applications where compact and flexible drilling equipment is required.

07. Can KEENOVA provide technical support?

Yes. We provide support with product selection, application matching, specifications, troubleshooting and communication with manufacturers.

08. Can KEENOVA source products outside its main catalog?

Yes. Through China Sourcing & Supply, KEENOVA can help source suitable equipment, spare parts, consumables and other industrial products from reliable Chinese manufacturers outside our core product range.

09. Can KEENOVA customize products?

Yes, depending on the product and application. Customization may include dimensions, configurations, specifications and packaging. Drawings, dimensions, photos or application details are helpful when discussing custom requirements.

10. What information should I provide when requesting a quotation?

Useful information includes the material or application, machine model and power, required dimensions, current product or specification, target performance, quantity and destination country. Photos and videos are also highly valuable.

Need a Solution?

Tell us what you are cutting, drilling or sourcing.

KEENOVA

Quarry & Construction Cutting Solutions Partner
Understand First · Recommend Second · Supply Third

Technical Support & Service

From product selection and technical consultation to pre-shipment inspection, delivery coordination and after-sales support, KEENOVA helps make every stage of cooperation clearer, smoother and more efficient.



01	**PRODUCT SELECTION & APPLICATION MATCHING**	Recommendations based on material, application and working conditions.
02	**SPECIFICATION MATCHING & CONFIGURATION ADVICE**	Assistance in confirming product specifications and suitable configurations.
03	**TECHNICAL TROUBLESHOOTING & MANUFACTURER COORDINATION**	Communication with manufacturers to help address technical questions and operational issues.
04	**PRE-SHIPMENT INSPECTION**	Inspection and verification against agreed specifications and requirements.
05	**SPARE PARTS, CONSUMABLES & AFTER-SALES COORDINATION**	Support with spare parts, consumables and after-sales communication.

02 BEFORE YOU SEND AN ENQUIRY

To help us understand your requirements and provide a more accurate recommendation or quotation, please share the following information whenever available:

- **MATERIAL OR APPLICATION**
- **MACHINE MODEL & POWER**
- **REQUIRED DIMENSIONS**
- **CURRENT PRODUCT OR SPECIFICATIONS**
- **TARGET PERFORMANCE**
- **REQUIRED QUANTITY & DESTINATION COUNTRY**

The more details you can provide, the more accurately we can assess your requirements and recommend a suitable solution.



03 HELPFUL ATTACHMENTS

To help us better understand your requirements and provide more accurate recommendations, you may also share:

- **PHOTOS & VIDEOS**
  Product, equipment, material or working-site images.
- **DRAWINGS & DIMENSIONS**
  Technical drawings, sketches or dimensional details.
- **EXISTING SPECIFICATION SHEETS**
  Current product specifications or equipment data.
- **SITE & WORKING CONDITIONS**
  Operating environment, cutting conditions and other relevant details.
- **SAMPLES OR REFERENCE PRODUCTS**
  Physical samples, product photos or reference models.

KEENOVA
TOOLTEC

DIAMOND TOOLS, MACHINERY & INTEGRATED SOLUTIONS
FOR STONE & CONSTRUCTION

COMPANY	Xiamen Keenova Tooltec Co., Ltd.
ADDRESS	No. 318 Zhonglinli, Haicang District, Xiamen City, Fujian, China
EMAIL	info@keenovatool.com · robin@keenovatool.com
PHONE	+86 135 5962 1999
WHATSAPP	+86 135 5921 1969
WEBSITE	www.keenovasolution.com · www.keenovatool.com

WWW.KEENOVASOLUTION.COM

WHATSAPP +86 135 5921 1969

